

## May 2015 Air Quality Summary Report

**Licence Number: 13336**

**Licensee: Barangaroo Delivery Authority**

**Licensee Address: Lvl 21, 201 Kent Street, Sydney**

**Sampling period: 1-31 May 2015**

**Date provided to Licensee: 19 June 2015**

**Date published: 28 July 2015**

# May 2015 Air Quality Summary Report

## Barangaroo South

This report has been compiled to summarise results of air quality monitoring at Barangaroo South in May 2015 in accordance with [EPL number 13336](#). This data is for samples taken from 1 to 31 May 2015. The data was provided to the Barangaroo Delivery Authority (the Licencee) on 19 June 2015.

Lend Lease conducts continuous air quality monitoring at Barangaroo South to measure air quality and assist the construction team implement appropriate environmental controls on site. Air quality monitoring is carried out in accordance with all relevant authority and statutory requirements. Monitoring parameters include particulate matter less than 10 microns (PM10) and volatile organic compounds.

## Location of ambient air quality monitors

Ambient air quality monitoring devices are located at four locations around the site as shown below:



*Approximate locations of air monitoring equipment*

These locations correspond to the following licenced monitoring locations:

- Northern: EPL Point 5
- Eastern: EPL Point 8
- Southern: EPL Point 13
- Water Treatment Plant Air Quality: EPL Point 17 (Not in use)

EPL Points 14, 15 & 16 have not been monitored to date, as they are associated with works that have not commenced.

EPL Point 17 was not required as the WTP has been decommissioned.

EPL Point 18 was not required for this stage of the works as the remediation trial has been completed.

## Monitoring results

During May 2015 construction activities were undertaken in accordance with relevant management plans.

General controls implemented during this reporting period included:

- Water cart spraying and road sweeping.
- Covering loads and managing stockpiles as appropriate.
- Localised wetting down of concrete breaking and housekeeping to keep exposed areas to a minimum.
- Ongoing monitoring of air quality.
- Implement dust minimisation of the concrete batch plant stockpiles.

## PM10

Monitoring Parameter	EPL Point 5 ( $\mu\text{g}/\text{m}^3$ )	EPL Point 8 ( $\mu\text{g}/\text{m}^3$ )	EPL Point 13 ( $\mu\text{g}/\text{m}^3$ )
Average	NA	31.1	44.5
Minimum (24hr)	NA	14.7	14.0
Maximum (24hr)	NA	75.7	133.4

NA – The monitor was not operational due to construction related issues affecting the power.

## Frequency

Parameter	Frequency	EPL Point			
		5	8	13	17
PM10 / VOCs (Pt 17 only)	Monitoring frequency required by licence	Continuous			Not in use
	No. of samples required by licence				
	No. of samples collected & analysed				