



January 2017 Air Quality Summary Report

Barangaroo South – Remediation Works

Licence Number: 13336

Licensee: Barangaroo Delivery Authority

Licensee Address: Level 21, 201 Kent Street, Sydney

Sampling period: 1-31 January 2017

Date provided to Licensee: 20 February 2017

Date published: 20 February 2017

January 2017 Air Quality Summary Report

Barangaroo South – Remediation Works


This report has been compiled to summarise results of air quality monitoring at Barangaroo South in January 2017 in accordance with EPL number 13336. This data is for samples taken from 1 to 31 January 2017. The data was provided to the Barangaroo Delivery Authority (the Licencee) on 20 February 2017.

Lend Lease conducts continuous air quality monitoring at Barangaroo South to measure air quality and assist the construction team implement appropriate environmental controls on site.

Air quality monitoring is carried out in accordance with all relevant authority and statutory requirements. Monitoring parameters include particulate matter less than 10 microns (PM10), total solid particles (TSP), metals, polycyclic aromatic hydrocarbons (PAHs) and volatile organic compounds (VOCs).




Air quality monitoring locations

Air quality monitoring locations are located as shown below:



Approximate location of air monitoring equipment

Legend

-  Ambient Air Quality Monitoring – EPL Point
-  Ambient Odour Monitoring Point
-  Enclosure Discharge Point – EPL Point



Monitoring results – ISCO Remediation Trial

During January 2017 there were no works requiring air quality monitoring in accordance with the licence.

Monitoring results – Perimeter Retention Wall works

During January 2017 construction of the perimeter retention wall was undertaken in accordance with relevant management plans with specific controls implemented during this reporting period which included:

- Negative pressure excavation enclosures
- Granulated Activated Carbon filter system
- Emissions Control System

Volatile Organic Compounds (VOCs) – Perimeter Retention Wall

Monitoring Parameter	EPL Point 2 (mg/m ³)	EPL Point 3 1 hour average (mg/m ³)	EPL Point 12 1 hour average (mg/m ³)
Average (mg/m ³)	0.29	Not Required	0.29
Minimum (mg/m ³)	0.25	Not Required	0.25
Maximum (mg/m ³)	0.50	Not Required	0.50
Limit	10 mg/m ³	5 mg/m ³	10 mg/m ³

Frequency

Parameter	Frequency	EPL Point 2	EPL Point 3
VOCs as n-propane equivalent	Monitoring frequency required by licence	Daily (during work)	Continuous
	No. of samples required by licence	26	
	No. of samples collected & analysed	26	

Monitoring results – Ambient air quality

Monitoring at ambient locations around the construction site was undertaken as per the EPL 13336.

These locations correspond to the following licenced monitoring locations, as shown in the figure above:

- Northern: EPL Point 4
- Eastern: EPL Point 5
- Southern: EPL Point 6

PM10

Monitoring Parameter	EPL Point 4 (µg/m ³)	EPL Point 5 (µg/m ³)	EPL Point 6 (µg/m ³)
Average	20.6	3.7	8.0
Minimum (24hr)	14.3	1.7	2.9
Maximum (24hr)	40.2	8.5	13.2

Volatile Organic Compounds (VOCs) – Ambient

Monitoring Parameter	EPL Point 4 (ppm)	EPL Point 5 (ppm)	EPL Point 6 (ppm)
Average	0.11	0.05	0.08
Minimum (24hr)	0	0	0
Maximum (24hr)	0.3	0.2	0.4



Total Solid Particles (TSP)

Monitoring Parameter	EPL Point 4 - TSP ($\mu\text{g}/\text{m}^3$)	EPL Point 6 - TSP ($\mu\text{g}/\text{m}^3$)
08/01/2017	64.5	58.5
14/01/2017	85.3	79.5
20/01/2017	69.2	72.4
26/01/2017	55.9	55.5
30/01/2017	87.5	71.4
Rolling annual average	61.1	50.6
Annual average criteria	90	90

PAHs

Monitoring Parameter	EPL Point 4 (ng/m^3)		EPL Point 6 (ng/m^3)	
	Total PAH	Benzo(a) pyrene	Total PAH	Benzo(a) pyrene
08/01/2017	<3	<2	<3	<2
14/01/2017	<3	<2	<3	<2
20/01/2017	<3	<2	<3	<2
26/01/2017	<3	<2	<3	<2
30/01/2017	<3	<2	<3	<2
1 Hour Average Criteria (indicative purposes) (PAHs as BaP) (ng/m^3)	400			

Metals

Date	Location	Concentration (ng/m^3)												
		Sb	As	Cd	Pb	Hg	Be	Cr	Co	Mn	Ni	Se	Sn	V
08/01/2017	EPL Point 4	<13	<5.2	<1.3	5.8	<0.5	<2.6	7.5	<1.3	36	6	<13	<5.2	7
	EPL Point 6	<13	<5.2	<1.3	4.9	<0.5	<2.6	3.5	<1.3	26	3.9	<13	<5.2	7.4
14/01/2017	EPL Point 4	<13	<5.2	<1.3	4.4	<0.5	<2.6	3.8	1.3	26	4.2	<13	<5.2	6
	EPL Point 6	<13	<5.2	<1.3	4.2	<0.5	<2.6	4.5	<1.3	33	3.5	<13	<5.2	4.8
20/01/2017	EPL Point 4	<13	<5.2	<1.3	5.7	<0.5	<2.6	6.3	<1.3	14	7.1	<13	<5.2	3.8
	EPL Point 6	<13	<5.2	<1.3	5.8	<0.5	<2.6	21	<1.3	42	8.5	<13	<5.2	3.7
26/01/2017	EPL Point 4	<13	<5.2	<1.3	4.4	<0.5	<2.6	7.4	<1.3	9.9	7.4	<13	<5.2	5.9
	EPL Point 6	<13	<5.2	<1.3	3.3	<0.5	<2.6	13	<1.3	18	6.4	<13	<5.2	5.5
30/01/2017	EPL Point 4'	<13	<5.2	<1.3	7.7	<0.5	<2.6	8.4	<1.3	28	8.6	<13	<5.2	21
	EPL Point 6'	<13	<5.2	<1.3	2.8	<0.5	<2.6	4.1	<1.3	21	5.8	<13	<5.2	12
EPL Point 4 Annual Average		-	-	-	28.2	-	-	-	-	-	-	-	-	-
EPL Point 6 Annual Average		-	-	-	26.3	-	-	-	-	-	-	-	-	-
1 Hour Average Criteria (indicative purposes)		9	90	18	-	180	4	90	-	18000	180	-	-	-
No. of 1 hr Exceedances		0	0	0	0	0	0	0	N/A	0	0	N/A	N/A	N/A
Annual Average Criteria					500									



Frequencies – Ambient Monitoring

Parameter	Frequency	EPL Point 4	EPL Point 5	EPL Point 6
TSP, PAHs, metallic compounds	Monitoring frequency required by licence	24 Hours every 6 days		
	No. of samples required by licence	5	N/A	5
	No. of samples collected & analysed	5	N/A	5
VOCs	Monitoring frequency required by licence	Daily (during work)		
	No. of samples required by licence	26	26	26
	No. of samples collected & analysed	26	26	26
PM10	Monitoring frequency required by licence	Continuous		
	No. of samples required by licence			
	No. of samples collected & analysed			