



July 2019 Water Quality Summary Report
One Sydney Harbour – Remediation Works

Licence Number: 13336

Licensee: Infrastructure NSW

Licensee Address: Level 27, 201 Kent Street, Sydney

Sampling period: 1 to 31 July 2019

Date provided to Licensee: 20 August 2019

Date published: 20 August 2019

July 2019 Water Quality Summary Report

Barangaroo South – Remediation Works


This report has been compiled to summarise results of water quality monitoring at Barangaroo South in July 2019 in accordance with [EPL number 13336](#). This data is for samples taken from 1 to 31 July 2019. The data was provided to Infrastructure NSW (the Licencee) on 20 August 2019.

Lendlease conducts water quality monitoring at Barangaroo South to measure water quality and assist the construction team implement appropriate environmental controls on site.

Water quality monitoring is carried out in accordance with all relevant authority and statutory requirements. Ambient monitoring in Darling Harbour measures conductivity, pH, temperature and turbidity.

Water quality monitoring locations

Water quality monitoring locations are located as shown below:



Approximate location of water quality monitoring equipment

Legend

- Ambient Water Quality Monitoring Location
- 14 WTP Water Discharge Point
- X** EPL point number

EPL Point 10 is the Nearfield 1 (NF1) location, and EPL Point 11 is the Nearfield 2 (NF2) location. EPL Point 14 is the discharge point for the Main water treatment plant (MWTP).

Monitoring results

WTP Discharge

During July, the Water Treatment Plant treated and discharged 6319 kL of water to EPL Point 14.

EPL Point 14

| Pollutant | Units | Monitoring frequency | Limit | | | Min. Value | Max. Value | Median Value | Compliant | No. of Samples: | |
|-------------------------|----------|----------------------|------------------------|-----------------------|-----------------------|------------|------------|--------------|-----------|-----------------|-------|
| | | | 100 th %ile | 90 th %ile | 50 th %ile | | | | | Req'd | Comp. |
| Volume | kL | Daily | | - | 2593# | 47.79 | 549.28 | 244# | Yes | Daily | Daily |
| Acenaphthene | µg/L | Varies | 20 | | 2 | ND | ND | 0.5 | Yes | 5 | 5 |
| Acenaphthylene | µg/L | Varies | 20 | | 2 | ND | ND | 0.5 | Yes | 5 | 5 |
| Ammonia as N | µg/L | Varies | | 2550 | 1700 | 90 | 860 | 420 | Yes | 5 | 5 |
| Anthracene | µg/L | Varies | 13.5 | | 2 | ND | ND | 0.5 | Yes | 5 | 5 |
| Arsenic | mg/L | Varies | | 0.116 | 0.0232 | 0.134 | 0.134 | 0.00025 | Yes | 5 | 5 |
| Benzene | µg/L | Varies | 20 | | 2 | ND | ND | 0.5 | Yes | 5 | 5 |
| Benz(a)anthracene | µg/L | Varies | | 750 | 500 | ND | ND | 0.5 | Yes | 5 | 5 |
| Benzo(a) pyrene | µg/L | Varies | 20 | | 2 | ND | ND | 0.25 | Yes | 5 | 5 |
| Benzo(b+j)fluoranthene | mg/L | Varies | 0.02 | | 0.002 | ND | ND | 0.0005 | Yes | 5 | 5 |
| Benzo(g,h,i)perylene | µg/L | Varies | 20 | | 2 | ND | ND | 0.5 | Yes | 5 | 5 |
| Benzo(k)fluoranthene | µg/L | Varies | 20 | | 2 | ND | ND | 0.5 | Yes | 5 | 5 |
| Cadmium | mg/L | Varies | 0.00775 | | 0.0007 | ND | ND | 0.0001 | Yes | 5 | 5 |
| Chromium (hexavalent) | mg/L | Varies | | 0.45 | 0.027 | ND | ND | 0.0005 | Yes | 5 | 5 |
| Chromium (Trivalent) | mg/L | Varies | | 0.45 | 0.045 | 0.008 | 0.008 | 0.0005 | Yes | 5 | 5 |
| Chrysene | µg/L | Varies | 20 | | 2 | ND | ND | 0.5 | Yes | 5 | 5 |
| Copper | mg/L | Varies | | 0.013 | 0.0048 | ND | ND | 0.0005 | Yes | 5 | 5 |
| Cyanide (WAD) | mg/L | Varies | | 0.035 | 0.014 | 0.004 | 0.008 | 0.004 | Yes | 5 | 5 |
| Dibenz(a,h)anthracene | µg/L | Varies | 20 | | 2 | ND | ND | 0.5 | Yes | 5 | 5 |
| Dissolved Oxygen | mg/L | Varies | | | | 8.7 | 10.6 | 9.3 | N/A | 5 | 5 |
| Electrical conductivity | NTU | Varies | | | | 26700 | 45000 | 34600 | N/A | 5 | 5 |
| Ethylbenzene | µg/L | Varies | | 120 | 80 | ND | ND | 1 | Yes | 5 | 5 |
| Fluoranthene | µg/L | Varies | 20 | | 2 | ND | ND | 0.5 | Yes | 5 | 5 |
| Fluorene | µg/L | Varies | 20 | | 2 | ND | ND | 0.5 | Yes | 5 | 5 |
| Indeno(1,2,3-c,d)pyrene | µg/L | Varies | 20 | | 2 | ND | ND | 0.5 | Yes | 5 | 5 |
| Lead | mg/L | Varies | | 0.1575 | 0.012 | 0.0022 | 0.0027 | 0.0001 | Yes | 5 | 5 |
| Mercury | mg/L | Varies | 0.00175 | | 0.0001 | ND | ND | 0.00002 | Yes | 5 | 5 |
| Naphthalene | µg/L | Varies | 375 | | 50 | ND | ND | 0.5 | Yes | 5 | 5 |
| Nickel | mg/L | Varies | | 0.076 | 0.074 | 0.001 | 0.0184 | 0.0031 | Yes | 5 | 5 |
| Oil and Grease | mg/L | Varies | 10 | | | ND | ND | 2.5 | Yes | 5 | 5 |
| PCBs | uS/cm | Varies | | | | ND | ND | 0.5 | N/A | 5 | 5 |
| pH (Lab) | pH_Units | Varies | 6.5-8.5 | | | 6.86 | 7.67 | 7.52 | Yes | 5 | 5 |
| Phenanthrene | µg/L | Varies | 3.85 | | 2 | ND | ND | 0.5 | Yes | 5 | 5 |
| Phenol | µg/L | Varies | | 600 | 400 | ND | ND | 0.5 | Yes | 5 | 5 |
| Pyrene | µg/L | Varies | 20 | | 2 | ND | ND | 0.5 | Yes | 5 | 5 |
| Toluene | µg/L | Varies | | 270 | 180 | ND | ND | 1 | Yes | 5 | 5 |
| TPH C10-C14 | mg/L | Varies | 0.125 | | 0.05 | ND | ND | 0.025 | Yes | 5 | 5 |
| TPH C15-C28 | mg/L | Varies | 0.25 | | 0.1 | ND | ND | 0.05 | Yes | 5 | 5 |
| TPH C29-C36 | mg/L | Varies | 0.125 | | 0.05 | ND | ND | 0.025 | Yes | 5 | 5 |
| TRH C6 - C9 | µg/L | Varies | | 100 | 20 | ND | ND | 10 | Yes | 5 | 5 |
| TSS | mg/L | Varies | 50 | | | ND | ND | 2.5 | Yes | 5 | 5 |
| Turbidity | mg/L | Varies | | | | 0.2 | 0.3 | 0.2 | N/A | 5 | 5 |
| Xylene (m & p) | µg/L | Varies | | 112.5 | 75 | ND | ND | 1 | Yes | 5 | 5 |
| Xylene (o) | µg/L | Varies | | 525 | 350 | ND | ND | 1 | Yes | 5 | 5 |
| Zinc | mg/L | Varies | | 0.095 | 0.043 | ND | ND | 0.0025 | Yes | 5 | 5 |

N/A – no licence limit, monitoring requirement only

ND – not detected

– Mean used in place of Median

*100th Percentile

Environment Protection Licence number: 13336

Licencee: Infrastructure NSW, Level 27, AON/Maritime Trade Towers, 201 Kent Street, Sydney, 2000

These results have been made available in accordance with Environment Protection Authority requirements for publishing pollution monitoring data



There were no exceedances of turbidity criteria for ambient water quality monitoring in Darling Harbour during the month.

Turbidity

| Monitoring Parameter | EPL Point 10 (NTU) | EPL Point 11 (NTU) |
|----------------------|--------------------|--------------------|
| Minimum | 0.0 | 0.6 |
| Maximum | 18.2 | 8.1 |
| Mean | 2.9 | 2.4 |
| Limit | 63 | 63 |

Conductivity

| Monitoring Parameter | EPL Point 10 (mS/cm) | EPL Point 11 (mS/cm) |
|----------------------|---|----------------------|
| Minimum | 50.7 | 48.7 |
| Maximum | 52.7 | 51.9 |
| Mean | 51.9 | 51.2 |
| Limit | No licence limit, monitoring requirement only | |

pH

| Monitoring Parameter | EPL Point 10 | EPL Point 11 |
|----------------------|---|--------------|
| Minimum | 8.02 | 7.90 |
| Maximum | 8.19 | 8.18 |
| Mean | 8.13 | 8.05 |
| Limit | No licence limit, monitoring requirement only | |

Temperature

| Monitoring Parameter | EPL Point 10 (°C) | EPL Point 11 (°C) |
|----------------------|---|-------------------|
| Minimum | 15.13 | 15.19 |
| Maximum | 16.54 | 16.62 |
| Mean | 15.73 | 15.85 |
| Limit | No licence limit, monitoring requirement only | |

Frequency

| Monitoring Parameter | EPL Point 10 (%) | EPL Point 11 (%) |
|---|------------------|------------------|
| Monitoring frequency required by licence | Every 15 minutes | |
| NTU Samples Collected & Analysed | 94.9 | 99.9 |
| pH Samples Collected & Analysed | 70.9 | 99.9 |
| Conductivity Samples Collected & Analysed | 95.0 | 99.1 |
| Temperature Samples Collected & Analysed | 95.0 | 99.9 |